


## RangePRO Model P-102 Laser Rangefinder Module



*“Advanced digital ranging technology: precise, compact, robust.”*

### Suitability

OEM module for integration into sensing, surveillance, tracking & weapons stations, and thermal imaging cameras & gimbals; state of the art diode pumped laser; repetitive ranging with long range performance; for land, sea or airborne applications; designed to withstand vibration, shock, and extended temperature operation.

### Rangefinding

read-out limits	min.	50;
(factory selectable)	max.	30,000.
performance *	man (0.45x1.8m) **	5,500;
	vehicle (2.3x2.3m) **	9,000;
	building (large) **	20,000.

\* Standard Clear atmosphere; Extinction Coefficient 0.038 @ 1,570nm (Beta Spec.); sea level visibility = 23.5km.

\*\* Target albedo = 0.3 @ 1,570nm.

### Sealing

Hermetic.

### Laser Safety

Class 1M. \*\*\*

\*\*\* AS/NZS IEC60825.1 2011.

### Project -

**102**: compact, high performance, diode pumped laser driven, long range laser rangefinder programme.

### Dimensions

length	162 mm;
width	92.5 mm;
height	53 mm;
mass	0.975 kg.

### Transmitter

laser type	Nd:YAG/OPO;
wavelength	1,565 to 1,575 nm (1,570 nominal);
output	nominally 8mJ [to Class 1M limit];
ranging rate	1Hz typical, to 6Hz burst.

### Detector

APD with time variant gain.

### Range Determination

Signals from the detector are digitally sampled and examined to determine all potential real target returns. An adaptive range threshold compensates for changing noise levels, maximising system capability under varying conditions.

### Power

10 to 33Vdc input.

### Comms

RS-422 19,200 Baud.

### Mounting

3-point mount with guide pins.



A Division of Laserdyne Pty Ltd  
 A.C.N. 053 743 132

17 Production Ave  
 Molendinar  
 Queensland 4214  
 Australia

Tel: (07) 5594 9772 Int'l Tel: 61 7 5594 9772  
 Fax: (07) 5594 9981 Int'l Fax: 61 7 5594 9981

email: [laserdyne@laserdyne.com.au](mailto:laserdyne@laserdyne.com.au)  
 website: [www.laserdyne.com.au](http://www.laserdyne.com.au)

The information contained herein is proprietary to Laserdyne Pty Ltd. No part of this work may be reproduced or copied in any way without prior written permission of Laserdyne Pty Ltd.

Note: specifications herein are subject to change without notice.

Copyright. All Rights Reserved. Laserdyne Pty Ltd